EPA Official Record

Notes ID: 9E03E8532F76CAF59CA4C3B086238578

From: "Moore, David (ECY)" < DMOO461@ECY.WA.GOV>

To: "Susewind, Kelly (ECY)" <KSUS461@ECY.WA.GOV>; Brian Nickel/R10/USEPA/US@EPA; "Koch, Richard A.

(ECY)" <RKOC461@ECY.WA.GOV>; "Hallinan, Patrick J. (ECY)" <PHAL461@ECY.WA.GOV> Copy To: "Gildersleeve, Melissa (ECY)" < MGIL461@ECY.WA.GOV>; "Bresler, Helen (ECY)"

<HBRE461@ECY.WA.GOV>; "Whiley, Tony (ECY)" <TWHI461@ECY.WA.GOV>; Laurie Mann/R10/USEPA/US@EPA; "Bellatty, James (ECY)" < JBEL461@ECY.WA.GOV>

Delivered Date: 04/14/2011 12:18 PM PDT **Subject:** Next steps and dates for alt. limits path

Following today's meeting, here's what we need, who we need it from and when it's needed:

- Model equivalency rules and accompanying spreadsheet to post on SRF website for review by advisory committee; revision of rules following review - Brian Nickel, 2 weeks (Post by next week or sooner, allow 1 week for comment)
- LimnoTech report posted to SRF website Idaho dischargers, ASAP (have asked them to ask attorneys)
- Validation of LimnoTech report EPA/Ecology, 2 weeks (Whiley, Susewind, Nickel primary)
- Seasonal vs. monthly average clarification in WA permits **Richard Koch and Pat Hallinan**, 1 week (brief description of what is in the current permits and whether there will be both types of limits in final permits)

I will set up a meeting for the validation between EPA and Ecology during the week of 25 th . This gives us a week before the next AC meeting to wrap it up. I also plan on telling Sarah Hubbard Gray that the SRSP should be scheduling a meeting soon to determine an alternate scenario within the same time frame (2 weeks). They could possibly run the model if they have our validation and equivalency rules in hand the week before the AC meeting.

Are there any problems with meeting these timeframes or things I'm missing? Let me know.

Thanks, Dave